Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SunSept Absauganlagendesinfektion Konz.
- · Article number: 115
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Disinfectant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH

Otto Hahn Ring 6-18

D-64653 Lorsch

Germany

· Further information obtainable from:

Abteilung Produktsicherheit

Alexander.Metz@prisman.de

· 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS09

· Signal word Danger

(Contd. on page 2)

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 1)

#### Hazard-determining components of labelling:

N,N-Dimethyl-N-Dioctylammoniumchlorid potassium hydroxide

#### · Hazard statements

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

### · Precautionary statements

P273 Avoid release to the environment. P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compon	ents:	
CAS: 5538-94-3	N,N-Dimethyl-N-Dioctylammoniumchlorid	2.5-10%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 110-63-4	butane-1,4-diol	2.5-10%
EINECS: 203-786-5	<b>♦</b> Acute Tox. 4, H302	
CAS: 64-17-5	ethanol	≤2.5%
EINECS: 200-578-6	♠ Flam. Liq. 2, H225	
CAS: 1310-58-3	potassium hydroxide	<i>≤</i> 2.5%
EINECS: 215-181-3	♦ Skin Corr. 1A, H314;  ♠ Acute Tox. 4, H302	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 2)

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

*Use fire extinguishing methods suitable to surrounding conditions.* 

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

*Use neutralising agent.* 

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 3)

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in upright position.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

1310-58-3 potassium hydroxide

WEL Short-term value: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in (Contd. on page 5)

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 4)

advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves · For the permanent contact gloves made of the following materials are suitable: Neoprene gloves

· As protection from splashes gloves made of the following materials are suitable:

Natural rubber, NR Butyl rubber, BR Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

· Eye protection:



Tightly sealed goggles

9.1 Information on basic physical and ch General Information	• •
Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20°C:	9
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C
Flash point:	> 100 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.

(Contd. on page 6)

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

	(Contd. of page
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	>70 %
VOC (EC)	2 %
9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
,		oxicity Estimates)
Oral	LD50	2,506 mg/kg (rat)
Dermal	<i>LD50</i>	2,358 mg/kg (rabbit)

5538-94	-3 N,N	-Dimethyl-N-Dioctylammoniumchlorid
Oral	LD50	238 mg/kg (rat)

(Contd. on page 7)

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

		(Contd. of page 6)	
Dermal	LD50	191 mg/kg (rabbit)	
110-63-	110-63-4 butane-1,4-diol		
Oral	LD50	500 mg/kg (ATE)	
1310-58	-3 pota	ssium hydroxide	
Oral	LD50	500 mg/kg (ATE)	

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- · Sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

GB

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 7)

## SECTION 13: Disposal considerations

SECTION 14: Transport information

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Europear	· European waste catalogue		
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES		
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics		
07 06 99	wastes not otherwise specified		

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1903
· 14.2 UN proper shipping name	
$\cdot ADR$	1903 DISINFECTANT, LIQUID, CORROSIVE,
	N.O.S. $(N, N-D i m e t h y l - N-D i m e t$
	Dioctylammoniumchlorid),
	ENVIRONMENTALLY HAZARDOUS
· IMDG	DISINFECTANT, LIQUID, CORROSIVE,
	N.O.S. $(N, N-Dimethyl-N-$
	Dioctylammoniumchlorid), MARINE
	POLLUTANT

N.O.S.

Dioctylammoniumchlorid)

- · 14.3 Transport hazard class(es)
- · ADR, IMDG

 $\cdot$  IATA





· Class 8 Corrosive substances.

(Contd. on page 9)

DISINFECTANT, LIQUID, CORROSIVE,

(N, N-Dimethyl-N-

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 8
8
8 Corrosive substances.
III
Product contains environmentally hazardou. s u b s t a n c e s : N, N - D i m e t h y l - N Dioctylammoniumchlorid Yes Symbol (fish and tree) Symbol (fish and tree)
Warning: Corrosive substances. 80 F-A,S-B
ex II Not applicable.
5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging 1000 ml 3
E E
5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging 1000 ml

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 9)

· UN "Model Regulation":

UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N-DIMETHYL-N-DIOCTYLAMMONIUMCHLORID), 8, III, ENVIRONMENTALLY HAZARDOUS

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Customs tariff No.: 38089490

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Recommended restriction of use Product only for professional use
- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact: Hr. Dr. Metz
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 11)

Page 11/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2019 Version number 2 Revision: 09.10.2019

Trade name: SunSept Absauganlagendesinfektion Konz.

(Contd. of page 10)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

CD